

In the Claims

Applicant has submitted a new complete claim set showing marked up claims with insertions indicated by underlining and deletions indicated by strikeouts and/or double bracketing.

Please amend claim 39.

Please add new claim 54.

1. (Original) A method for analyzing polymer intensity data from a sample comprising obtaining intensity profiles from individual labeled polymers contained in the sample, aligning individual intensity profiles from individual labeled polymers with respect to an alignment reference point,
combining aligned individual intensity profiles to generate a population profile,
selecting a peak in the population profile and obtaining individual intensity profiles that contribute to peak,
combining individual intensity profiles that contribute to the peak to generate a peak profile, and
comparing the peak profile with the population profile.
2. (Original) The method of claim 1, wherein the sample contains a heterogeneous mixture of polymers.
3. (Original) The method of claim 2, wherein the heterogeneous mixture of polymers comprises differentially sized fragments of a parent polymer.
4. (Original) The method of claim 2, wherein the heterogeneous mixture of polymers comprises polymers with different sequences.
5. (Original) The method of claim 1, wherein the profiles are intensity versus length profiles.

6. (Original) The method of claim 1, wherein the intensity data is fluorescence intensity data and intensity profiles are fluorescence intensity profiles.

7. (Original) The method of claim 1, wherein the polymers are labeled with a sequence specific probe.

8. (Original) The method of claim 1, wherein the polymers are labeled with a sequence non-specific label.

9. (Original) The method of claim 1, wherein the method is implemented on a computer.

10. (Original) The method of claim 1, wherein the polymer is a nucleic acid.

11. (Original) The method of claim 10, wherein the nucleic acid is DNA or RNA.

12. (Original) The method of claim 11, wherein the DNA is genomic nuclear DNA, mitochondrial DNA or cDNA.

13. (Original) The method of claim 11, wherein the RNA is mRNA.

14. (Original) The method of claim 1, wherein the alignment reference point is an internal reference point.

15. (Original) The method of claim 14, wherein the alignment reference point is a center of molecule reference point.

16. (Original) The method of claim 14, wherein the alignment reference point is a sequence specific probe bound to individual polymers.

17. (Original) The method of claim 14, wherein the alignment reference point is a sequence non-specific probe bound to individual polymers.
18. (Original) The method of claim 1, wherein the intensity profiles are obtained from individual polymers in flow.
19. (Original) The method of claim 1, wherein the intensity profiles are obtained from individual polymers fixed to a solid support.
20. (Original) The method of claim 1, wherein the population profile is a cumulative population profile.
21. (Original) The method of claim 1, wherein the population profile is an average population profile.
22. (Original) The method of claim 1, wherein the peak profile is a cumulative peak profile.
23. (Original) The method of claim 1, wherein the peak profile is an average peak profile.
24. (Original) The method of claim 1, wherein the peak is selected based on intensity.
25. (Original) The method of claim 1, wherein the peak is selected based on the presence of its mirror image peak in the population profile.
26. (Original) The method of claim 1, wherein polymers in the sample are sorted according to size prior to aligning individual intensity profiles.

27. (Original) The method of claim 1, wherein a peak profile that resembles the population profile indicates a non-oriented profile.

28. (Original) The method of claim 1, wherein a peak profile that consists of a subset of peaks from the population profile indicates a putative oriented profile.

29. (Original) The method of claim 28, further comprising inverting the putative oriented profile to generate a putative inverted profile, combining the putative oriented profile with the putative inverted profile to generate a putative non-oriented profile, and comparing the putative non-oriented profile with the population profile, wherein a putative non-oriented profile that is identical to the population profile indicates that the putative oriented profile is an oriented profile, that the putative inverted profile is an inverted profile, and that the putative non-oriented profile is a non-oriented profile.

30. (Original) The method of claim 28, further comprising determining whether individual peaks in the peak profile have corresponding mirror image peaks in the population profile when the alignment reference point is a center of molecule reference point.

31. (Original) The method of claim 30, wherein the presence of corresponding mirror images indicates the putative oriented profile is an oriented profile.

32. (Original) The method of claim 28, further comprising determining whether the oriented peak has a corresponding mirror image peak in the population profile when the alignment reference point is a center of molecule reference point.

33. (Original) The method of claim 32, obtaining individual intensity profiles that contribute to the mirror image peak, and combining individual intensity profiles that contribute to the mirror image peak to generate a mirror image peak profile.

34. (Original) The method of claim 33, further comprising comparing the mirror image peak profile with the population profile.

35. (Original) The method of claim 34, further comprising determining whether the mirror image peak profile is a mirror image of the peak profile.

36. (Original) The method of claim 35, further comprising inverting and combining the mirror image peak profile with the peak profile provided the mirror image peak profile is a mirror image of the peak profile.

37. (Original) The method of claim 33, wherein the mirror image peak profile is a cumulative mirror image peak profile.

38. (Original) The method of claim 33, wherein the mirror image peak profile is an average mirror image peak profile.

39. (Currently Amended) The method of claim 28[[or 31]], further comprising subtracting the peak profile from the population profile.

40. (Original) The method of claim 35, further comprising subtracting the mirror image peak profile from the population profile.

41. (Original) The method of claim 35, further comprising subtracting the peak profile and the mirror image peak profile from the population profile.

42. (Original) The method of claim 41, further comprising determining whether additional peaks remain in the population profile following subtraction of the peak profile and the mirror image peak profile.

43. (Original) The method of claim 42, wherein the presence of additional peaks is indicative that the sample comprised different polymers.

44. (Original) The method of claim 1, wherein the polymer is completely stretched.

45. (Original) The method of claim 1, wherein the polymer is partially stretched.

46. (Original) The method of claim 31, further comprising inverting the oriented profile, combining the oriented profile with the inverted profile to generate a non-oriented profile, and comparing the non-oriented profile with the population profile.

47. (Original) The method of claim 8, wherein the sequence non-specific label is a backbone label.

48. (Original) The method of claim 47, wherein the alignment reference point is a center of molecule reference point.

49. (Original) The method of claim 48, wherein the center of molecule reference point is the midpoint of an individual profile.

50. (Original) The method of claim 1, wherein the peak is visible in an intensity versus length profile.

51. (Original) The method of claim 1, wherein the peak corresponds to bin counts.

52. (Original) The method of claim 1, wherein the polymer is uniformly stretched.

53. (Original) The method of claim 1, wherein the sample comprises polymers embedded in a gel matrix.

Serial No.: 10/763,567
Conf. No.: 4885

- 8 -

Art Unit: 1645

54. (New) The method of claim 31, further comprising subtracting the peak profile from the population profile.